

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
ELITRA.009AAPPLICATION NO.
09/741,669SUPPLEMENTAL
INFORMATION DISCLOSURE STATEMENT
BY APPLICANTAPPLICANT
Forsyth, et al.FILING DATE
December 19, 2000GROUP
1643

1634

USE SEVERAL SHEETS IF NECESSARY)

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
<i>u</i>	1	5,082,767	1/21/92	Hatfield, et al.			
	2	5,142,047	8/25/92	Summerton, et al.			
	3	5,405,775	4/11/95	Inouye, et al.			
	4	5,463,564	10/31/95	Agrafiotis, et al.			
	5	5,574,656	11/12/96	Agrafiotis, et al.			
	6	5,612,180	03/18/97	Brown, et al.			
	7	5,639,603	06/17/97	Dower, et al.			
	8	5,684,711	11/4/97	Agrafiotis, et al.			
	9	5,807,522	9/15/98	Brown, et al.			
	10	5,972,708	10/26/99	Sherratt, et al.			
	11	6,139,817	10/31/00	Palmer, et al.			
	12	6,303,115 B1	10/16/01	Natsoulis			

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
<i>u</i>	13	WO 95/02823	01/26/95	PCT				
	14	WO 96/17951	06/13/96	PCT				
	15	WO 99/33871	07/8/99	PCT				
	16	WO 99/54728	10/28/99	PCT				
	17	WO 01/34809 A2	05/17/01	PCT				

EXAMINER

u

DATE CONSIDERED

2/12/2003

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
ELITRA.009AAPPLICATION NO.
09/741,669SUPPLEMENTAL
INFORMATION DISCLOSURE STATEMENT
BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

APPLICANT
Forsyth, et al.FILING DATE
December 19, 2000GROUP
~~1645~~ 1634RECEIVED
JAN 17 2002
TECH CENTER 1600/2900EXAMINER
INITIAL

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)

W	18	Almarsson, et al. 1993. Peptide nucleic acid (PNA) conformation and polymorphism in PNA-DNA and PNA-RNA hybrids. <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 90:9542-9546.
	19	Altschul, et al. 1990. Basic local alignment search tool. <i>J. Mol. Biol.</i> , 215:403-10.
	20	Altschul, et al. 1997. Gapped BLAST and PSI-BLAST: A new generation of protein database search programs. <i>Nucleic Acid Res.</i> , 25(17): 3389-3402.
	21	Arigoni, et al. 1998. A genome-based approach for the identification of essential bacterial genes. <i>Nature Biotechnology</i> , 16: 851-856.
	22	Ausubel, et al. (Eds.). 1997. Current Protocols in Molecular Biology, Vol. 1, Unit 1.8.1-1.8.10. John Wiley & Sons, Inc.
	23	Basu, et al. 1997. Synthesis and characterization of a peptide nucleic acid conjugated to a D-peptide analog of insulin-like growth factor 1 for increased cellular uptake. <i>Bioconjugate Chem.</i> , 8:481-488.
	24	Bentin, et al. 1996. Enhanced peptide nucleic acid binding to supercoiled DNA: Possible implications for DNA "breathing" dynamics. <i>Biochemistry</i> , 35:8863-8869.
	25	Cao, et al. 1993. Expression and functional analysis of steroid receptor fragments secreted from <i>Staphylococcus aureus</i> . <i>J. Steroid Biochem Molec. Biol.</i> , 44(1):1-11.
	26	Demidov, et al. 1995. Kinetics and mechanism of polyamide ("peptide") nucleic acid binding to duplex DNA. <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 92:2637-2641.
	27	Demidov, et al. 1993. Sequence selective double strand DNA cleavage by Peptide Nucleic Acid (PNA) targeting using nuclease S1. <i>Nucl. Acids. Res.</i> , 21(9):2103-2107.
	28	Demidov, et al. 1994. Stability of peptide nucleic acids in human serum and cellular extracts. <i>Biochem. Pharm.</i> , 48(6):1010-1313.
	29	Egholm, et al. 1995. Efficient pH-independent sequence-specific DNA binding by pseudoisocytosine-containing bis-PNA. <i>Nucleic Acids Res.</i> , 23(2):217-222.
	30	Egholm, et al. 1993. PNA hybridizes to complementary oligonucleotides obeying the Watson-Crick hydrogen-bonding rules. <i>Nature</i> , 365:566-568.
	31	Egholm, et al. 1992. Recognition of Guanine and Adenine in DNA by Cytosine and Thymine Containing Peptide Nucleic Acids (PNA). <i>J. Am. Chem. Soc.</i> , 114(24):9677-9678.
	32	Engvall, E. 1980. Enzyme Immunoassay ELISA and EMIT. <i>Meth. Enzymol.</i> , 70:419-439.
	33	Etzold, et al. 1993. Sequence Retrieval System (SRS). SRS-An indexing and retrieval tool for flat file data libraries. <i>Comput. Appl. Biosci.</i> 9(1):49-57.
	34	Gallop, et al. 1994. Applications of Combinatorial Technologies to Drug Discovery. 1. Background and Peptide Combinatorial Libraries. <i>Journal of Medicinal Chemistry</i> , 37(9):1233-1251.
	35	Griffin, et al. 1989. Recognition of Thymine Adenine Base Pairs by Guanine in a Pyrimidine Triple Helix Motif. <i>Science</i> , 245:967-971.
	36	Griffith, et al. Single and bis peptide nucleic acids as triplexing agents: Binding and Stoichiometry. 1995. <i>J. Am. Chem. Soc.</i> , 117:831-832.
	37	Hamilton, et al. 1989. New method for generating deletions and gene replacements in <i>Escherichia coli</i> . <i>J. Bacteriol.</i> , 171(9):4617-4622.
	38	Hanvey, et al. 1992. Antisense and antigene properties of peptide nucleic acids. <i>Science</i> , 258:1481-1484.
	39	Hensel, et al. 1995. Simultaneous identification of bacterial virulence genes by negative selection. <i>Science</i> , 269:400-403.
	40	Hirschman, et al. 1996. Peptide nucleic acids stimulate gamma interferon and inhibit the replication of the human immunodeficiency virus. <i>J. Invest. Med.</i> , 44(6):347-351.
	41	Ho, et al. 1989. Site-directed mutagenesis by overlap extension using the polymerase chain reaction. <i>Gene</i> , 77:51-59.
	42	Horton, et al. 1989. Engineering hybrid genes without the use of restriction enzymes: Gene splicing by overlap extension. <i>Gene</i> , 77:61-68.
	43	Huerta, et al. 1998. RegulonDB: A database on transcriptional regulation in <i>Escherichia coli</i> . <i>Nucl. Acids Res.</i> , 26(1):55-59.
	44	Kohler, et al. 1975. Continuous cultures of fused cells secreting antibody of predefined specificity. <i>Nature</i> , 256:495-497.
	45	Krause, et al. 1997. Complexes at the replication origin of <i>Bacillus subtilis</i> with homologous and heterologous dnaA protein. <i>J. Mol. Biol.</i> , 274:365-380.
	46	Le Good, et al. 1998. Protein kinase C isotypes controlled by phosphoinositide 3-kinase through the protein kinase PDK1. <i>Science</i> , 281:2042-2045.
✓	47	Link, et al. 1997. Methods for Generating Precise Deletions and Insertions in the Genome of Wild-Type <i>Escherichia coli</i> : Application to Open Reading Frame Characterization. <i>J. Bacteriol.</i> , 179(20):6228-6237.

EXAMINER

DATE CONSIDERED

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
<i>W</i>	1	5,874,281	02/23/99	Dattagupta, et al.			
<i>W</i>	2	5,874,567	02/23/99	Smith			

FOREIGN PATENT DOCUMENTS								
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
<i>W</i>	3	WO 95/29254	11/02/95	PCT <i>US</i>				
				X				

[illegible]

EXAMINER <i>Julia</i>	DATE CONSIDERED <i>2/12/2003</i>
<p>*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.</p>	

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
ELITRA.009AAPPLICATION NO.
09/741,669SUPPLEMENTAL
INFORMATION DISCLOSURE STATEMENT
BY APPLICANTAPPLICANT
Forsyth, et al.FILING DATE
December 19, 2000GROUP
1634

(USE SEVERAL SHEETS IF NECESSARY)

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
<i>u</i>	1	5,353,236	10/04/94	Subbiah			
	2	5,744,460	04/28/98	Müller, et al.			
	3	5,869,604	02/09/99	Rousseau, et al.			
	4	6,077,682	06/20/00	Inouye, et al.			
	5	6,156,526	12/05/00	Boriack-Sjodin, et al.			
	6	6,277,564	08/21/01	Berlin, et al.			

RECEIVED

MAY 10 2002

TECH CENTER 1600/2900

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
<i>u</i>	7	WO 98/50555	11/12/98	PCT				
<i>u</i>	8	WO 99/13893	03/25/99	PCT				

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)

EXAMINER INITIAL		
<i>u</i>	9	Appelt, K. 1993. Crystal structures of HIV-1 protease-inhibitor complexes. <i>Perspectives in Drug Discovery and Design</i> , 1:23-48.
	10	Bagby, et al. 1994. Unusual helix-containing Greek keys in development-specific Ca ²⁺ -binding protein S. ¹ H, ¹⁵ N, and ¹³ C assignments and secondary structure determined with the use of multidimensional double and triple resonance heteronuclear NMR spectroscopy. <i>Biochemistry</i> , 33:2409-2421.
	11	Bagby, et al. 1995. Solution structure of the C-terminal core domain of human TFIIIB: Similarity to Cyclin A and interaction with TATA-binding protein. <i>Cell</i> , 82:857-867.
	12	Balbes, et al. 1994. "A perspective of modern methods in computer-aided drug design." In Lipkowitz, et al., Eds. <i>Reviews in Computational Chemistry V</i> . Chap. 7, pp. 337-379. New York: VCH Publishers.
	13	Brenner, et al. 2000. <i>Salmonella</i> nomenclature. <i>Journal of Clinical Microbiology</i> , 38(7):2465-2467.
	14	Brunschwig, et al. 1992. A two-component T7 system for the overexpression of genes in <i>Pseudomonas aeruginosa</i> . <i>Gene</i> , 111:35-41.
	15	Bugg, et al. 1993. Drugs by design: Structure-based design, an innovative approach to developing drugs, has recently spawned many promising therapeutic agents, including several now in human trials for treating AIDS, cancer and other diseases. <i>Scientific American</i> , Dec.:92-98.
	16	Clore, et al. 1987. Three-dimensional structure of potato carboxypeptidase inhibitor in solution: A study using nuclear magnetic resonance, distance geometry, and restrained molecular dynamics. <i>Biochemistry</i> , 26:8012-8023.
	17	Crosa, et al. 1973. Molecular relationships among the <i>Salmonelleae</i> . <i>J. Bacteriol.</i> 115(1):307-315.
	18	Cwirla, et al. 1990. Peptides on phage: A vast library of peptides for identifying ligands. <i>Proc. Natl. Acad. Sci. USA</i> , 87:6378-6382.
	19	Devlin, et al. 1990. Random peptide libraries: A source of specific protein binding molecules. <i>Science</i> , 249:404-406.
	20	Edwards, B. H. 1999. <i>Salmonella</i> and <i>Shigella</i> species. <i>Clinics Lab. Med.</i> , 19(3):469-487.
	21	Erickson, J. W. 1993. Design and structure of symmetry-based inhibitors of HIV-1 protease. <i>Perspectives in Drug Discovery and Design</i> , 1:109-128.
	22	Good, et al. 1998. Antisense inhibition of gene expression in bacteria by PNA targeted to mRNA. <i>Nature Biotechnology</i> , 16:355-358.

EXAMINER

DATE CONSIDERED

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
ELITRA.009AAPPLICATION NO.
9/741,669**RECEIVED**SUPPLEMENTAL
INFORMATION DISCLOSURE STATEMENT
BY APPLICANTAPPLICANT
Forsyth, et al.

MAY 10 2002

FILING DATE
December 19, 2000TECH CENTER 1600/2900
1634

(USE SEVERAL SHEETS IF NECESSARY)

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
u	23	Huycke, et al. 1998. Multiple-drug resistant enterococci: The nature of the problem and an agenda for the future. <i>Emerging Infectious Diseases</i> , 4(2):239-249.
	24	Israelson, et al. 1995. Cloning and partial characterization of regulated promoters from <i>Lactococcus lactis</i> Tn917-lacZ integrants with the new promoter probe vector, pAK80. <i>Applied and Environmental Microbiology</i> , 61(7):2540-2547.
	25	Kreiswirth, et al. 1983. The toxic shock syndrome exotoxin structural gene is not detectably transmitted by a prophage. <i>Nature</i> , 305:709-712.
	26	Lam, et al. 1994. Rational design of potent, bioavailable, nonpeptide cyclic ureas as HIV protease inhibitors. <i>Science</i> , 263:380-384.
	27	Leboeuf, et al. 2000. Characterization of the <i>ccpA</i> gene of <i>Enterococcus faecalis</i> : Identification of starvation-inducible proteins regulated by CcpA. <i>J. Bacteriology</i> , 182(20):5799-5806.
	28	Marrone, et al. 2000. Discovering high-affinity ligands from the computationally predicted structures and affinities of small molecules bound to a target: A virtual screening approach. <i>Perspectives in Drug Discovery and Design</i> , 20:209-230.
	29	Mestres, et al. 2000. Similarity versus docking in 3D virtual screening. <i>Perspectives in Drug Discovery and Design</i> , 20:191-207.
	30	Mojumdar, et al. 1988. Characterization of the tetracycline resistance gene of plasmid pT181 of <i>Staphylococcus aureus</i> . <i>J. Bacteriology</i> , 170(12):5522-5528.
	31	Morrissey, et al. 2000. Molecular Cloning and Analysis of a Putative Siderophore ABC Transporter from <i>Staphylococcus aureus</i> . <i>Infection and Immunity</i> , 68(11):6281-6288.
	32	Moszer, et al. 1995. <i>SubtilList</i> : A relational database for the <i>Bacillus subtilis</i> genome. <i>Microbiology</i> , 141:261-268.
	33	Moszer, I. 1998. The complete genome of <i>Bacillus subtilis</i> : From sequence annotation to data management and analysis. <i>FEBS Letters</i> , 430:28-36.
	34	Nallapareddy, et al. 2000. <i>Enterococcus faecalis</i> adhesin, ace, mediates attachment to extracellular matrix proteins collagen type IV and laminin as well as collagen type I. <i>Infect. Immun.</i> , 68(9):5218-5224.
	35	Neidhardt, F. C. (Ed.). 1996. <i>Escherichia coli</i> and <i>Salmonella</i> : Cellular and molecular biology, 2nd Ed., Vol. 2, pp. 2269-2271. Washington, D.C.: ASM Press.
	36	Schnappinger, et al. 1995. Extracellular expression of native human anti-lysozyme fragments in <i>Staphylococcus carnosus</i> . <i>FEMS Microbiol. Let.</i> , 129:121-127.
	37	Scott, et al. 1990. Searching for peptide ligands with an epitope library. <i>Science</i> , 249:386-390.
	38	Shuker, et al. 1996. Discovering high-affinity ligands for proteins: SAR by NMR. <i>Science</i> , 274:1531-1534.
	39	Suh, et al. 1995. Genetic and transcriptional organization of the <i>Bacillus subtilis</i> <i>spc-alpha</i> region. Database accession no. L47971 (ID: BSRPLP), XP002190118.
	40	Suh, et al. 1996. Genetic and transcriptional organization of the <i>Bacillus subtilis</i> <i>spc-alpha</i> region. <i>Gene</i> , 169:17-23.
	41	Tatusov, et al. 2000. The COG database: A tool for genome-scale analysis of protein functions and evolution. <i>Nucleic Acids Research</i> , 28(1):33-36.
	42	Van Delden, et al. 1998. Cell-to-cell signaling and <i>Pseudomonas aeruginosa</i> infections. <i>Emerging Infectious Diseases</i> , 4(4):551-560.
	43	Wagner, et al. 1987. Protein structures in solution by nuclear magnetic resonance and distance geometry: The polypeptide fold of the basic pancreatic trypsin inhibitor determined using two different algorithms, DISGEO and DISMAN. <i>J. Mol. Biol.</i> , 196:611-639.
	44	Wallis, et al. 2000. Molecular basis of <i>Salmonella</i> -induced enteritis. <i>Molec. Microb.</i> , 36(5):997-1005.
	45	Wlodawer, et al. 1993. Structure-based inhibitors of HIV-1 protease. <i>Annu. Rev. Biochem.</i> , 62:543-585.
	46	Wong, et al. 2000. Genetic footprinting with <i>mariner</i> -based transposition in <i>Pseudomonas aeruginosa</i> . <i>PNAS</i> , 97(18):10191-10196.
	47	Wüthrich, et al. 1983. Pseudo-structures for the 20 common amino acids for use in studies of protein conformations by measurements of intramolecular proton-proton distance constraints with nuclear magnetic resonance. <i>J. Mol. Biol.</i> , 169:949-961.
✓	48	Xia, et al. 1999. Rapid method for the identification of essential genes in <i>Staphylococcus aureus</i> . <i>Plasmid</i> , 42:144-149.

S:\DOCS\DOH\DOH-6658.DOC:dmb
050302

EXAMINER	<i>Inten</i>	DATE CONSIDERED	<i>2/12/2003</i>
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.			